



**SAFETY DATA SHEET**  
PETROL INJECTOR CLEANER

Page: 1

Compilation date: 12/08/2011

Revision date: 12/07/2019

Revision No: 1c

**Section 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name:** PETROL INJECTOR CLEANER

**Product code:** 7628

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**1.3. Details of the supplier of the safety data sheet**

**Company name:** Millers Oils Ltd  
Hillside Oilworks  
Rastrick Common  
Brighouse  
West Yorkshire  
HD6 3DP  
United Kingdom

**Tel:** +44 (0)1484 713201

**Fax:** +44 (0)1484 721263

**Email:** [h.s@millersoils.co.uk](mailto:h.s@millersoils.co.uk)

**1.4. Emergency telephone number**

**Emergency tel:** +44 (0)1484 713201

**Section 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification under CLP:** Aquatic Chronic 3: H412; Asp. Tox. 1: H304

**Most important adverse effects:** May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects.

**2.2. Label elements**

**Label elements:**

**Hazard statements:** H304: May be fatal if swallowed and enters airways.

H412: Harmful to aquatic life with long lasting effects.

**Hazard pictograms:** GHS08: Health hazard



[cont...]

**SAFETY DATA SHEET**  
PETROL INJECTOR CLEANER

Page: 2

**Signal words:** Danger

**Precautionary statements:** P102: Keep out of reach of children.

P273: Avoid release to the environment.

P301+310: IF SWALLOWED: Immediately call a.

P331: Do NOT induce vomiting.

P405: Store locked up.

P501: Dispose of contents/container to hazardous or special waste collection point.

**2.3. Other hazards**

**PBT:** This product is not identified as a PBT/vPvB substance.

**Section 3: Composition/information on ingredients**

**3.2. Mixtures**

**Hazardous ingredients:**

HYDROCARBONS, C11-14, N-ALKANES, ISOALKANES, CYCLIC, <2% AROMATICS - REACH registered number(s): 01-2119456620-43-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
926-141-6	64742-47-8	-	Asp. Tox. 1: H304	70-90%

HYDROCARBONS, C10, AROMATICS, <1% NAPHTHALENE - REACH registered number(s): 01-2119463583-34-XXXX

918-811-1	-	-	Asp. Tox. 1: H304; STOT SE 3: H336; Aquatic Chronic 2: H411; -: EUH066	1-10%
-----------	---	---	---	-------

REACTION MASS OF 2,6-DI-TERT-BUTYLPHENOL AND 2,4,6-TRI-TERT-BUTYLPHENOL - REACH registered number(s): 01-2119538013-51

204-884-0	128-39-2	-	Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	<1%
-----------	----------	---	---	-----

**Section 4: First aid measures**

**4.1. Description of first aid measures**

**Skin contact:** Wash immediately with plenty of soap and water. Remove all contaminated clothes and footwear immediately unless stuck to skin.

**Eye contact:** Bathe the eye with running water for 15 minutes.

**Ingestion:** Do not induce vomiting. Wash out mouth with water.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so.

**4.2. Most important symptoms and effects, both acute and delayed**

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** No symptoms.

[cont...]

**SAFETY DATA SHEET**  
PETROL INJECTOR CLEANER

Page: 3

**4.3. Indication of any immediate medical attention and special treatment needed**

**Immediate / special treatment:** Eye bathing equipment should be available on the premises.

**Section 5: Fire-fighting measures**

**5.1. Extinguishing media**

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers. Carbon dioxide. Alcohol resistant foam. Dry chemical powder.

**5.2. Special hazards arising from the substance or mixture**

**Exposure hazards:** In combustion emits toxic fumes.

**5.3. Advice for fire-fighters**

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**Section 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

**6.2. Environmental precautions**

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

**6.3. Methods and material for containment and cleaning up**

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

**6.4. Reference to other sections**

**Section 7: Handling and storage**

**7.1. Precautions for safe handling**

**Handling requirements:** Avoid the formation or spread of mists in the air. Ensure there is sufficient ventilation of the area.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.

**7.3. Specific end use(s)**

**Section 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Workplace exposure limits:** No data available.

[cont...]

**SAFETY DATA SHEET**  
PETROL INJECTOR CLEANER

Page: 4

**DNEL/PNEC Values**

**Hazardous ingredients:**

**HYDROCARBONS, C10, AROMATICS, <1% NAPHTHALENE**

Type	Exposure	Value	Population	Effect
DNEL	Dermal	12.5 mg/kg bw/day	Workers	Systemic
DNEL	Inhalation	151 mg/m3	Workers	Systemic
DNEL	Dermal (developmental tox)	7.5 mg/kg bw/day	Consumers	Systemic
DNEL	Inhalation (developmental tox)	32 mg/m3	Consumers	Systemic
DNEL	Oral (developmental tox)	7.5 mg/kg bw/day	Consumers	Systemic

**REACTION MASS OF 2,6-DI-TERT-BUTYLPHENOL AND 2,4,6-TRI-TERT-BUTYLPHENOL**

Type	Exposure	Value	Population	Effect
DNEL	Dermal	0.5 mg/kg bw/day	Workers	-
DNEL	Inhalation	3.5 mg/m3	Workers	-
PNEC	Fresh water	0.3ug/l	-	-
PNEC	Marine water	0.3 ug/l	-	-
PNEC	Fresh water sediments	0.09 mg/kg dwt	-	-
PNEC	Marine sediments	0.009 mg/kg dwt	-	-
PNEC	Soil (agricultural)	0.044 mg/kg dwt	-	-
PNEC	Microorganisms in sewage treatment	2.4 mg/l	-	-

**8.2. Exposure controls**

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Protective gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

**Section 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

**State:** Liquid

**Evaporation rate:** No data available.

**Oxidising:** No data available.

**Solubility in water:** Insoluble

**Viscosity:** Non-viscous

**Boiling point/range°C:** No data available.

**Melting point/range°C:** No data available.

**Flammability limits %: lower:** No data available.

**upper:** No data available.

**Flash point°C:** >65

**Part.coeff. n-octanol/water:** No data available.

**Autoflammability°C:** No data available.

**Vapour pressure:** No data available.

**Relative density:** 0.83

[cont...]

**SAFETY DATA SHEET**  
PETROL INJECTOR CLEANER

Page: 5

pH: No data available.

VOC g/l: No data available.

**9.2. Other information**

Other information: No data available.

**Section 10: Stability and reactivity**

**10.1. Reactivity**

Reactivity: Stable under recommended transport or storage conditions.

**10.2. Chemical stability**

Chemical stability: Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.  
Decomposition may occur on exposure to conditions or materials listed below.

**10.4. Conditions to avoid**

Conditions to avoid: Heat.

**10.5. Incompatible materials**

Materials to avoid: Strong oxidising agents. Strong acids.

**10.6. Hazardous decomposition products**

Haz. decomp. products: In combustion emits toxic fumes.

**Section 11: Toxicological information**

**11.1. Information on toxicological effects**

**Hazardous ingredients:**

**HYDROCARBONS, C11-14, N-ALKANES, ISOALKANES, CYCLIC, <2% AROMATICS**

ORL	RAT	LD50	>5000	mg/kg
SKN	RBT	LD50	>2000	mg/kg

**HYDROCARBONS, C10, AROMATICS, <1% NAPHTHALENE**

DERMAL	RBT	LD50	2000	mg/kg
VAPOURS	RAT	4H LC50	>590	mg/m3

**Relevant hazards for product:**

Hazard	Route	Basis
Aspiration hazard	-	Hazardous: calculated

[cont...]

**SAFETY DATA SHEET**  
PETROL INJECTOR CLEANER

Page: 6

**Symptoms / routes of exposure**

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** No symptoms.

**Section 12: Ecological information**

**12.1. Toxicity**

**Hazardous ingredients:**

**HYDROCARBONS, C11-14, N-ALKANES, ISOALKANES, CYCLIC, <2% AROMATICS**

-	72H IC50	1-3	mg/l
-	48H EC50	1.4	mg/l
-	96H LC50	2-5	mg/l

**HYDROCARBONS, C10, AROMATICS, <1% NAPHTHALENE**

ALGAE	72H ErC50	1-3	mg/l
DAPHNIA	48H EC50	3-10	mg/l
FISH	96H LC50	2-5	mg/l

**REACTION MASS OF 2,6-DI-TERT-BUTYLPHENOL AND 2,4,6-TRI-TERT-BUTYLPHENOL**

ALGAE	72H ErC50	4.9	mg/l
DAPHNIA	48H EC50	0.4	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	0.3	mg/l

**12.2. Persistence and degradability**

**Persistence and degradability:** No data available.

**12.3. Bioaccumulative potential**

**Bioaccumulative potential:** No data available.

**12.4. Mobility in soil**

**Mobility:** Readily absorbed into soil.

**12.5. Results of PBT and vPvB assessment**

**PBT identification:** This product is not identified as a PBT/vPvB substance.

**12.6. Other adverse effects**

**Section 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

[cont...]

**SAFETY DATA SHEET**  
PETROL INJECTOR CLEANER

Page: 7

**Disposal of packaging:** Arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**Section 14: Transport information**

**Transport class:** This product does not require a classification for transport.

**Section 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Specific regulations:** Not applicable.

**15.2. Chemical Safety Assessment**

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

**Section 16: Other information**

**Other information**

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

**Phrases used in s.2 and s.3:** EUH066: Repeated exposure may cause skin dryness or cracking.

H304: May be fatal if swallowed and enters airways.

H318: Causes serious eye damage.

H336: May cause drowsiness or dizziness.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.